

BUILDINGS EXEMPTED FROM NECPA'S PERFORMANCE GOAL IN FY 1999

Section 543(a)(2) of NECPA states, "An agency may exclude from the requirements of paragraph (1) any building, and the associated energy consumption and gross square footage, in which energy intensive activities are carried out. Each agency shall identify and list in each report made under section 548(a) the buildings designated by it for such exclusion." These buildings are not included in the calculations for determining performance toward the buildings Btu/GSF reduction goals. Instead, they are included under the category of excluded buildings/process energy. The energy consumed in these buildings is included on tables and figures which show total consumption (buildings and facilities, vehicles and equipment, and excluded buildings/process).

Department of Defense Exempted Facilities

Army

Cold Region R&E Lab, Hanover, NH
Dist. Engr., Huntington, WV
Dist. Engr., Jacksonville, FL
Dist. Engr., Mobile, AL
Dist. Engr., Wilmington, NC
Dist. Engr., Charleston, SC
Dist. Engr., Little Rock, AR
Dist. Engr., Galveston, TX
Dist. Engr., Rock Island, IL
Dist. Engr., Detroit, MI
Dist. Engr., Kansas City, MO
Dist. Engr., Omaha, NE
Dist. Engr., Los Angeles, CA
Dist. Engr., San Francisco, CA
Dist. Engr., New York, NY
Dist. Engr., Baltimore, MD
Dist. Engr., New Orleans, LA
Dist. Engr., Sacramento, CA
Stratford Engine Plant, CT
21st SUPCOM, Germany
Lima ARMODCTR, OH
Tobyhanna ARDEP, PA
Scranton AAP, PA
Radford AAP, VA
Redstone Arsenal, Huntsville, AL
V Corps, Frankfurt, Germany
Holston AAP, Kingsport, TN
Pine Bluff Arsenal, AR
Louisiana AAP, Shreveport, LA
Sunflower AAP, Laurence, KS
Detroit Arsenal, Warren, MI
Lake City AAP, Independence, MO
Fort Leonard Wood, Waynesville, MO
Mississippi AAP, Picayune, MS

Air Force

NONE

Navy

B00129 SUBASE NEW LONDON CT
B00181 NSY NORFOLK VA
B00187 PWC NORFOLK VA
B00193 WPNSTA CHARLESTON SC
B00204 NAS PENSACOLA FL
B00213 NAS KEY WEST FL
B00389 NAVSTA ROOSEVELT ROADS PR
B42237 SUBASE KINGS BAY GA
B60201 NAVSTA MAYPORT FL
B60478 WPNSTA EARLE COLTS NECK NJ
B60514 NAVSTA GUANTANAMO CUBA
B61331 NSWC COASTSYSTA PANAMA CITY FL
B61414 NAVPHIBASE LITTLE CREEK VA
B62661 NETC NEWPORT RI
B62863 NAVSTA ROTA SP
B68890 NAVSTA PASCAGOULA
B68891 NAVSTA INGLESIDE TX
B70024 NUSC NEW LONDON LABORATORY
P00228 NSC OAKLAND CA
P00245 NAVSTA SAN DIEGO CA
P00246 NAS NORTH IS SAN DIEGO CA
P00251 NSY PUGET SOUND BREMERTON WA
P00311 NSY PEARL HARBOR HI
P00314 SUBASE PEARL HARBOR HI
P00948 FLEASWTRACENPAC SAN DIEGO CA
P32778 FLEET ACTIVITIES CHINHAE SK
P60036 WPNSTA CONCORD CA
P61581 COMFLEACT YOKOSUKA JA
P61755 NAVSTA GUAM GQ
P62583 CBC PORT HUENEME CA
P62586 NAVSHIPREPFAC GUAM GQ
P62735 COMFLEACT SASEBO JA
P62755 PWC PEARL HARBOR HI
P62813 NAVSTA PEARL HARBOR HI
P63406 SUBASE SAN DIEGO CA
P68328 NAVRESREDCOMREG 22 SEATTLE WA
P68436 SUBASE BANGOR WA
P68967 NAVSTA EVERETT WA
S00193 WPNSTA CHARLESTON SC
S00204 NAS PENSACOLA FL
S00207 NAS JACKSONVILLE FL
S00215 NAS DALLAS TX
S60200 NAS CECIL FIELD FL
S60241 NAS KINGSVILLE TX
S62269 NAVAIRDEVCCEN WARMINSTER PA
S63042 NAS LEMOORE CA
S63394 NSWC DIV PT HUENEME CA
S67865 MCAS MIRAMAR CA
T00207 NAS JACKSONVILLE FL
T00702 NAVSECGRUACT WINTER HARBOR ME
T0551A NRTF DIXON
T35328 RADTRANF ANNAPOLIS MD
T39142 NAVRADTRANFAC SADDLEBUNCH KEYS
T66754 NAVSECGRUACT SABANA SECA PR
T68734 NAVCOMMSTA JACKSONVILLE FL
T70273 NAVRADSTA /T/ JIM CREEK WA
T70283 NAVSECGRUACT GALETA IS PN

X00215	NAS DALLAS TX
X00788	NAVCOMMU WASHINGTON DC
X60042	NAF EL CENTRO CA
X61331	NSWC COASTSYSTA PANAMA CITY FL
X61581	COMFLEACT YOKOSUKA JA
X62285	NAVOBSY WASHINGTON DC
X62507	NAF ATSUGI JA
X62583	CBC PORT HUENEME CA
X62604	CBC GULFPORT MS
X62613	MCAS IWAKUNI JA
X62755	PWC PEARL HARBOR HI
X62863	NAVSTA ROTA SP
X63032	NAS KEFLAVIK IC
X63143	NAVCOMMSTA KEFLAVIK IC
X65981	DOD SCHOOLS KEFLAVIK ICELAND
X68479	HDQTRS 4TH MARDIV NEW ORLEANS
X68890	NAVSTA PASCAGOULA MS

The UIC prefixes identify the excluded portion of the installation whose energy consumption is excluded, as follow:

"B" indicates all shore-to-ship utility support (Cold Iron) to CINCLANTFLT ships.

"P" indicates all shore-to-ship utility support (Cold Iron) to CINCPACFLT ships.

"S" indicates energy consumed by operation trainers and the facilities that contain them.

"T" indicates energy consumed by communications transmitters and their supporting facilities square footage.

"X" miscellaneous energy consumed by non-defense activities, privage parties, contractors, and state and local governments.

DLA

DCSC, Columbus, OH